





Design by **ctcp** centro tecnológico
do calçado de Portugal

ELASTICOLOUR®

by Heliotextil S.A





Colour examples from our **Heliocolours** card

2014



2008




2063



2069



2140



2236




2159



2054



2260



“ELASTICOLOUR” SHOE ELASTIC SPECIFICATIONS*

REFERENCE	COMPOSITION	STANDARD WIDTHS (mm)
Ref. 51157	Polyamide / Lycra	15, 20, 25, 40, 50, 60, 100, 120, 130, 140, 160, 200
Ref. 51117	Polyamide / Rubber	15, 20, 25, 40, 50, 60, 100, 120, 130, 140, 160, 200

Presented references represent our specific programme for high quality dyed shoe elastics. Other shoe elastics are available in a separate brochure.

PRODUCT USE: These shoe elastics were conceived to reproduce in an accurate way client's demands in terms of colours. They also accomplish exigent technical demands to use on professional, comfort, casual or even fashion shoes.

COLOURS: There are 265 standard colours available on our “Heliocolours” card. Any other colour can be reproduced according to client's demands with a perfect match.

CHARACTERISTICS: Our elastics are controlled according to several norms and test methods. Please consult results of controlled characteristics.

FINISHES: Strong touch, Smooth touch, Fire retardant, perspiration breathable, Polyurethane coating, anti fungus, among others.

SPECIALITIES: Printing patterns, Continuous silicone application, Aromatic smells, etc.

PRESENTATION:

Rolls



Reels



“ In shape”



Lazer cutted



sew guides

**These specifications are the mostly used and commom on our production, others may be possible upon consult.*

