


WAISTBAND RIBBONS







WAISTBAND RIBBONS






WAISTBAND RIBBONS





WAISTBAND RIBBONS



WAISTBAND - SPECIFICATIONS*

TYPES OF BAND	FEATURE
TO BE on the Waistband	Narrow ribbons between 8mm to 30mm, to be sew on constructed waistband
TO USE as Waistband	Wider band between 30mm to 50mm, directly made from the loom, without stitching, used as Waistband

WEAVING: Jacquard or Simple

ELASTICITY: From Rigid to Elastic
Possible to present solutions with controlled elasticity

ANTISLIDE SOLUTIONS:

- Outside Rubber: Straight or Serpentine
- Silicone Appliance: Different possibilities, consult our silicone application sheet
- Others: Special raw-materials and constructions or Finishes

COMPOSITION: Raw materials used can be Polyester, Polyamide, Cotton, Monofilament, etc in combination with rubber or lycra, both naked or covered.

PRODUCT USE: A wide range of applications from sportswear to classic.

We always recommend making the necessary tests to guarantee the final use of the product. Upon request, we test specific characteristics of the product.

SPECIALITIES: Continuous silicone appliance, transfer or direct printing, Stretching know-how, among others.

COLOURS: Available standard yarn and dying colours catalogues.
A part from the standard colours we can reproduce any special colour on our own laboratory and dyeing means, allowing perfect match with the customer needs.

FINISHES: Hard, medium or smooth, water repellent, fire retardant, sanforization, aromatic, anti fungus, among others

SHRINKAGE: We propose the best technical solutions to accomplish customer's specifications.

* These specifications are the mostly used and common on our production. Others may be possible upon consult

