

# Sustainable

## Materials Selection

Selection of Cotton  
and Recycled Materials

# Cotton Fibers Selection


OEKO-TEX®  
CONFIDENCE IN TEXTILES  
**STANDARD 100**  
1577CIT CITEVE  
Tested for harmful substances.  
[www.oeko-tex.com/standard100](http://www.oeko-tex.com/standard100)



\*Certified under the Global Organic Textile Standard.




900\*  
Organic Cotton  
Raw




920\*  
Organic Cotton  
White



6774  
Cotton Nastro  
Raw



7278  
Cotton Nastro  
Raw



7672\*  
Organic Cotton  
Nastro Raw




8021  
Grosgrain  
Cotton Raw




8794\*  
Organic Cotton  
Raw




9000  
Cotton Twill  
Raw




10000  
Cotton Twill  
White




12255  
Cotton Plus  
Raw



12260  
Cotton Plus  
Black



12300  
Cotton Eco  
Raw




12350  
Cotton Eco  
White

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>900</h1> <h1>Organic Cotton</h1> <h1>Raw</h1>	 
	Full Product Specifications	


Composition	100% Organic Cotton	
Edge	Woven	
Faces	Double Face	
Color	Raw	
Finishing	Matte	
Thickness	0,37mm (+/-0,02mm)	
Weight	184/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>920</h1> <h1>Organic Cotton</h1> <h1>White</h1>	 
	Full Product Specifications	


Composition	100% Organic Cotton	
Edge	Woven	
Faces	Double Face	
Color	White	
Finishing	Glossy	
Thickness	0,39mm (+/- 0,02mm)	
Weight	182g/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100 mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>6674</h1> <h1>Cotton Nastro</h1> <h1>Raw</h1>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></p>
	Full Product Specifications	

Composition	100% Cotton	
Edge		
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness		
Weight		
Presentation		
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>7278</h1> <h1>Cotton Nastro</h1> <h1>Raw</h1>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577 CIT CITEVE</p> <p>Tested for harmful substances. <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></p>
	Full Product Specifications	


Composition	100% Cotton	
Edge		
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness		
Weight		
Presentation		
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>7672*</h1> <h2>Organic Cotton</h2> <h3>Nastro Raw</h3>	 
	Full Product Specifications	

Composition	100% Organic Cotton	
Edge		
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness		
Weight		
Presentation		
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.


Materials Selection	Cotton Fibers Selection	Certifications
	<h1>8021</h1> <h2>Grosgrain</h2> <h3>Cotton Raw</h3>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></p>
	Full Product Specifications	

Composition	100% Cotton	
Edge		
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness		
Weight		
Presentation		
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.




Materials Selection	Cotton Fibers Selection	Certifications
	<h1>8794*</h1> <h2>Organic Cotton</h2> <h3>Raw</h3>	 
	Full Product Specifications	

Composition	100% Organic Cotton	
Edge		
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness		
Weight		
Presentation		
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>9000 Cotton Twill Raw</h1>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. www.oeko-tex.com/standard100</p>
	Full Product Specifications	


Composition	100% Cotton	
Edge	Woven	
Faces	Single Face	
Color	Raw	
Finishing	None	
Thickness	-	
Weight	7,88/m (+/- 5%)	
Presentation	Roll	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>10000 Cotton Twill White</h1>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. www.oeko-tex.com/standard100</p>
	Full Product Specifications	


Composition	100% Cotton	
Edge	Woven	
Faces	Single Face	
Color	White	
Finishing	None	
Thickness	-	
Weight	7,88/m (+/- 5%)	
Presentation	Roll	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>12255</h1> <h2>Cotton Plus</h2> <h3>Raw</h3>	 <p>Tested for harmful substances. www.oeko-tex.com/standard100</p>
	Full Product Specifications	


Composition	100% Cotton	
Edge	Woven	
Faces	Double Face	
Color	Raw	
Finishing	Matte	
Thickness	0,35mm (+/- 0,02mm)	
Weight	170g/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100 mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>12260</h1> <h2>Cotton Plus</h2> <h3>Black</h3>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. www.oeko-tex.com/standard100</p>
	Full Product Specifications	


Composition	100% Cotton	
Edge	Woven	
Faces	Double Face	
Color	Black	
Finishing	Matte	
Thickness	0,36mm (+/- 0,02mm)	
Weight	152g/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100 mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>12300</h1> <h1>Cotton Eco</h1> <h1>Raw</h1>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></p>
	Full Product Specifications	

Composition	100% Cotton	
Edge	Woven	
Faces	Double Face	
Color	Raw	
Finishing	Matte	
Thickness	0,37mm (+/- 0,02mm)	
Weight	196g/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100 mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Cotton Fibers Selection	Certifications
	<h1>12350</h1> <h2>Cotton Eco</h2> <h3>White</h3>	 <p>OEKO-TEX® CONFIDENCE IN TEXTILES <b>STANDARD 100</b> 1577CIT CITEVE Tested for harmful substances. <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></p>
	Full Product Specifications	


Composition	100% White Cotton	
Edge	Woven	
Faces	Double Face	
Color	White	
Finishing	Matte	
Thickness	0,35mm (+/- 0,02mm)	
Weight	187g/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (100 mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.


# Recycled Fibers Selection



200  
Recycled Pol. Satin  
White




220  
Recycled Pol. Satin  
Black




300  
Recycled Pol. Satin  
White



320  
Recycled Pol. Satin  
Black



500  
Recycled Pol. Satin  
White




520  
Recycled Pol. Satin  
Black



580  
Recycled Pol. Satin  
White





7319  
Recycled Spun  
Polyester





8777  
Recycled Spun  
Polyester




Materials Selection	Recycled Fibers Selection	Certifications
	<h1>200</h1> <h2>Recycled Polyester</h2> <h3>Satin – White</h3>	 
	Full Product Specifications	


Composition	100% Recycled Polyester	
Edge	Slit	
Faces	Single Face	
Color	Black	
Finishing	Glossy	
Thickness	0,11mm (+/-0,02mm)	
Weight	112/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30-35-40mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>220</h1> <h2>Recycled Polyester</h2> <h3>Satin – Black</h3>	 
	Full Product Specifications	



Composition	100% Recycled Polyester	
Edge	Slit	
Faces	Single Face	
Color	Black	
Finishing	Glossy	
Thickness	0,11mm (+/-0,02mm)	
Weight	112/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30-35-40mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>300</h1> <h2>Recycled Polyester</h2> <h3>Satin – White</h3>	 
	Full Product Specifications	



Composition	100% Recycled Polyester	
Edge	Slit	
Faces	Double Face	
Color	White	
Finishing	Glossy	
Thickness	0,10mm (+/-0,02mm)	
Weight	104/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30-35-40mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>320</h1> <h2>Recycled Polyester</h2> <h3>Satin – Black</h3>	 
	Full Product Specifications	



Composition	100% Recycled Polyester	
Edge	Slit	
Faces	Double Face	
Color	Black	
Finishing	Glossy	
Thickness	0,10mm (+/-0,02mm)	
Weight	104/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30-35-40mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>500</h1> <h2>Recycled Polyester</h2> <h3>Satin – White</h3>	 
	Full Product Specifications	



Composition	100% Recycled Polyester	
Edge	Woven	
Faces	Double Face	
Color	White	
Finishing	Partially Glossy	
Thickness	0,20mm (+/-0,02mm)	
Weight	202/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	


\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>520</h1> <h2>Recycled Polyester</h2> <h3>Satin – Black</h3>	 
	Full Product Specifications	

Composition	100% Recycled Polyester	
Edge	Woven	
Faces	Double Face	
Color	Black	
Finishing	Partially Glossy	
Thickness	0,21mm (+/-0,02mm)	
Weight	200/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

Materials Selection	Recycled Fibers Selection	Certifications
	<h1>580</h1> <h2>Recycled Polyester</h2> <h3>Satin – White</h3>	 
	Full Product Specifications	

Composition	100% Recycled Polyester	
Edge	Woven	
Faces	Double Face	
Color	White	
Finishing	Matte	
Thickness	0,21mm (+/-0,02mm)	
Weight	149/m <sup>2</sup> (+/- 5g)	
Presentation	Roll (200mts)	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.


Materials Selection	Recycled Fibers Selection	Certifications
	<h1>7319</h1> <h2>Recycled Spun Polyester</h2>	 
	Full Product Specifications	

Composition	100% Recycled Polyester	
Edge		
Faces		
Color	White	
Finishing		
Thickness	-	
Weight	-	
Presentation		
Width		
Compatible Printing	Screen Printing	

\*Upon demand.



Materials Selection	Recycled Fibers Selection	Certifications
	<h1>8777</h1> <h2>Recycled Spun Polyester</h2>	 
	Full Product Specifications	

Composition	100% Recycled Polyester	
Edge	Woven	
Faces	Single Face	
Color	White	
Finishing	None	
Thickness	-	
Weight	-	
Presentation	Roll	
Width	15-20-25-30mm (+/- 1mm)*	
Compatible Printing	Screen Printing	

\*Upon demand.

## Specifications

