



COVER[®]
SEALINGS

INNOVATIVE TECHNOLOGY
FOR SEAMLESS APPLICATIONS




Using state of the art technologies on materials and coating techniques, high performances are achieved on heat applied products for textiles.

Coversealings® technology performs to be Functional, to make Finishing's or to enhance eye-catching details.

Examples of uses:


- Pockets;
- Zippers cover;
- Binding and no fraying Edges;
- Fabrics reinforcement;
- Seam cover;




**FABRICS
REINFORCEMENT**



POCKETS



**BINDING AND NO
FRAYING EDGES**
—
SEAM COVER



ZIPPER FRAMES



MAIN CHARACTERISTICS

- Lightweight;
- Durable;
- Resistant;
- Fully customizable in Colors, Patterns and Shapes;
- Can be applied over seams to eliminate abrasion;
- Enhances water resistance properties;
- Avoids edge fraying;
- Excellent performance and compatibility with main substrates and fibers



ADVANTAGES

Compared with existing FLEX, FILMS AND TAPES processes:

- No need to cut, no machines or special operations required
- No take off job for surplus material, handling is reduced
- No limitations on Colors or Designs, Fully Customizable
- No waste of surplus material, less environmental impact
- Just apply end product with a regular heat press.

SPECIFICATIONS

MATERIAL	POLYURETHANE ELASTIC BARRIER POLYURETHANE ADHESIVE LAYER
CARRIER	SYNTHETIC TRANSPARENT FILM
THICKNESS (Barrier/Adhesive)	200 µm / 100 µm
HAND TOUCH	SOFT
STRETCHABILITY RECUPERATION	EXCELLENT
WASHINGS	40 DEGREES CELSIUS, MORE THAN 50 CYCLES
APPLICATION CONDITIONS	160°C-170°C, 20-25 SECONDS, 3-4 BARS



Inspiring details since 1964

Rua dos Combatentes do Ultramar - P.O.Box 467
3701-914 S. João da Madeira - PORTUGAL
Tel.: +351 256 201 100 - Fax: +351 256 832 824
geral@heliotextil.com - www.heliotextil.com